
NOZZLE SCHED									
ITEM	SIZE	RATING	TYPE	MATL	PROJ. IN	PROJ. OUT			
А	20"	U.L.	M.W.	C.S.	STD.	STD.	S		
В	8"	N.P.T.	H. CPL.	C.S.	STD.	STD.	EMERC		
С	2"	N.P.T.	W.F.	C.S.	STD.	STD.			
D	4"	N.P.T.	W.F.	C.S.	STD.	STD.			
Е	6"	N.P.T.	H.CPL.	C.S.	STD.	STD.			
			-						



NOTES: A. Quantity:		APPROVAL FOR CONSTRUCTION SCHEDULE A - MASTER TERMS &	SAL
B. Material: H.R. Carbon Steel.		CONDITIONS OF SALE*	
C. Design Pressure: Atmospheric.		APPROVED AS DRAWN.	
 D. Design Temperature: Ambient. E. Built & labeled per U.L. spec. #142. F. Exterior: Gray primer included; see Sales Order for top coat. G. All fittings to be protected for shipment. H. Customer to verify nozzle sizes, locations and quantities. I. Saddles/skids may require shimming or grouting during installation. 	*All pages of this Schedule A are incorporated by reference and are a part of the additional terms of the Master Terms & Conditions of Sale. www.newberrytanks.com/masterterms.pdf	□ APPROVED WITH NOTED CHANGES, CONSTRUCTION WILL BE SCHEDULED WHEN SIGNED DRAWING AND CONFIRMED ORDER ARE RECEIVED. SIGNATURE:	VESSEL 6 CUSTOR - DATE:

This drawing may contain <u>CONFIDENTIAL</u> information and is intended only for the use of the specific individual(s) to which it is addressed.

X:_NTC_Autocad_STANDARD DRAWINGS_Website Drawings\Skid Tanks\3 in saddle\Single Wall\NB06000SWS096250.dwg, 5/22/2017 1:26:25 PM

